

Judges Sheet IGP 2, (Utility) GPr 2, OB/UPr 2, TR/FPr 2

Date and Organization where handler passed
BH written (required for any first time
handler at any level SchH-IPO-IGP 1-3:

Circle Appropriate Entry

Club:				Date:			
Judge:		Trial Secretary:					
Handler:		Organization:		Membership No:			
Owner:		Organization:		Membership No:			
Name of Dog:				Scorebook No:			
Tattoo/Chip No:		Reg. No:		DOB:			
A. Tracking 400 paces 3 Ard old 2 turns (90°) minimum d start, all articles minimum 2	listance betwe 20 paces from	en corners 50	paces, fir	st art	icle minimum 50 paces from		
Name of Hacklayer.	Track No.	Time Track Laid.	Tracking:		ricks op / romts out.		
Sketch of Track and Evaluation							

Judges Sheet IGP 2, (Utilit	ty) GPr 2, OB/	UPr 2, TR/FPr 2					Page 2
Dog:			Handler:				
B. Obedience					F	Points	Rating
1. Free Heeling	15						
2. Sit out of Motion	10						
3. Down with Recall	10						
4. Stand Out of Motion (Walk	ing) 5						
5. Retrieve on Flat 1000 gr Dur	mbell/ 10						
6. Retrieve over 39 in. Hurdle	650 15						
gr. Dumbell 7. Retrieve over 6 ft. Scaling Walgr. Dumbell	1 650 15						
8. Send Out with Down	10						
9. Long Down Under Distraction	on 10			_			
Total	100	Comments:					
C. Protection					i,	Points	Rating
1. Search for Helper (4 blinds)	5						
2. Hold and Bark	15						
3. Prevention of an attempted of the helper	escape 15						
4. Defense against an attack du the guarding phase	uring 20						
5. Back Transport	5						
6. Attack on the dog out of more	tion/ 20						
7. Defense against an attack due the guarding phase (no stick)							
Total	100	Comments:					
Results of Impartiality Test Pass or Fail	Remarks about	Handler:	Instinctive Be	gung,Selbstsicherh havior, Self-Confide S "vh"	ence ,The ability to	cope with	stress
Rating Max 100 points	s Max 20 poin		Max 10 Points	Total Results	Points	R	lating
V 96-100	19-20	14.5-15	10	Α			
SG 90-95.5	18-18.5	13.5-14	99.5	-			
G 80-89.5	1617.5	12-13	88.5	В			
B 70-79.5 M 0-69.5	14-15.5 0-13.5	10.5-11.5 0-10	7-7.5 0-6.5	С			
0-09.3	0-13.3	0-10	0.0.0	3			
	and 270 205 mais	nts, Good 240- 269 po		Total			